Decoding Colder Part Numbers

1

рмсd100212 — PMCD 10 02 12

Series Names

- MC: Miniature Coupling
- LC: Large Coupling
- SMC: SubMiniature Coupling
- TT: TenTube

PTC: Plastic Twin Tube Coupling

- **UDC:** Universal Dispensing Coupling
- APC: All Plastic Clip
- PMC: Plastic Miniature Coupling
- PLC: Plastic Large Coupling
- EFC: Extra Flow Coupling
- HFC: High Flow Coupling
- FFC: Full Flow Coupling
- NS: Non Spill

Valved/Non-Valved

D = Valved product

Absence of **D** = Non-valved product

Suffixes

- MBLK: Molded BlackV: Flourocarbon (FKM) o-ring seal, such as DuPont's Viton
- SN: Stainless Panel mount Nut
- NA: Nuts Assembled onto parts
- ACN: Acetal panel mount Nut
- HT: High Temperature Valve and Seal
- GHT: Garden Hose Thread
- 12: Polypropylene
- 57: Black UV Polysulfone

Terminations

- **10:** Male Pipe Thread
- 11: Panel mount, John Guest®
- 12: Panel mount, PTF or compression
- 13: In-line PTF or compression
- 14: In-line John Guest®
- **15:** Panel mount, male pipe thread
- 16: Panel mount, hose barb
- 17: In-line, hose barb
- 18: Panel mount, female 10-32
- **19:** In-line, female 10-32
- 20: Straight, PTF or compression
- 21: 90° Elbow, PTF
- 22: Straight, hose barb
- 23: 90° Elbow, hose barb
- 24: Straight, male pipe thread
- 25: 90° Elbow, male pipe thread
- 26: Straight, female pipe thread
- 28: Straight, female 10-32
- 29: Straight, John Guest[®]
- **40:** Straight, PTF (panel mount)
- 41: Straight, John Guest[®] (panel mount)
- 42: Straight, hose barb (panel mount)
- BLK: Dyed Black
- BN: Buna-N o-ring seal
- EPR: Ethylene Propylene o-ring seal (EPDM)
- **BSP:** British Standard Pipe
- NC: No Clip
- D: Delrin[®] acetal clip for MPC and EFC
- X: Valved body or insert with valve omitted (X in place of D)
- 35: Polysulfone
- **06:** ABS

